



GRETA



Catalogue



GRETA

Greta JSC is one of the leading manufacturer, exporters of kitchen appliances and gas appliances under TM "Greta". We have successfully catered to the expectations of our customers and have gained their trust for lifelong. The user friendly and innovative designs of our products is due to the creativity of our highly efficient technicians. We have attained the position of 'The Best' in this sphere because of our standard quality, quick services and offering wide range to meet individual needs and requirements.



GRETA





MANUFACTURE

MANUFACTURE



Leading manufacturer of gas and electric stoves, JSC "Greta" is on the market of home appliances for more than half a century. And always the company's production meets the highest standards of quality, reliability and security. Starting from the first gas stove ПГ-4, released by Druzhkovsky gas equipment plant far in 1959 and nowadays – work, to be ahead of the time – is the slogan of the company.

In a rapidly changing world, only the highest quality products can guarantee a competitiveness in the market, but it can't be achieved with obsolete equipment. Operatively responding to the challenge of the time, the plant became rapidly to reconstruct, updating equipment and technology. Administration has chosen the most correct way of development of production – the introduction of advanced and often even unique technologies.

The company undertook radical redesign and reconstruction of gas stoves shop: there were created new areas of, carried out installation and commissioning of new sections of component assembly of the commutator and of the oven door, created section of massive grate manufacturing. To make stoves not only functional, but beautiful and durable it was mounted Swiss line for automatic application of polymer coating "GEMA VOLSTATIK AG" on the products, three Italian lines for automatic application of silicate coatings "WAGNER itep" on products, which are justly considered to be the best in the world. There were purchased and installed a line for the surface preparation of parts prior to coating and two automated Italian low-inertia gas furnaces "New FURNASE" for firing and creation of silicate coatings; body details are made by Italian auto stamping complex of company "Rowetta" and by stamping and multiple-point press of the company "MONZZONI". Besides, there are installed a lot of highly automated specialized equipment of own manufacturing in the plant. There is mounted set of equipment for production of packaging of polystyrene of Italian company "PROMASS" and "Alessio" to deliver products without damage to the consumer.

All these innovations have provided rapid increase both the quantity and quality of production: if in 2004 the company manufactured 160,000 stoves, then in 2005 they manufactured already 210 000 ones, in 2006 this figure was 290 000, in 2007 – 350 000, and since 2008 – 400 000 stoves per year. Today the assembly lines of the factory manufacture up to 1,750 gas, electric and combination plates for more than 20 models per day.

Modern logistics promotes efficiency: all products are dispatched with using the code registration bar, it is introduced advanced automated accounting software. All these allow not to chase the competitors, but confidently to lead the market.

Production of Joint Stock Company "Greta" is certified in accordance with the requirements of DSTU ISO 9000:2001, is confirmed by the certificates of Ukrainian Certification Center, and in March, 2011 it was received a certificate of compliance to requirements of the CE. High quality of products of Trade Mark "Greta" is confirmed by twenty international awards, including the International Gold Star for the quality and image.

It is not surprising, because the techniques has not only modern and stylish look, but it is still very functional and reliable. All details of stoves of Trade Mark "GRETA" – from the handle to the button – are made of durable materials that don't become heated and deformed in the process of cooking. Especially for them it was developed a new design of the oven with an environmentally safe super-thin fiber insulation of the oven, ensured uniform heating, keeping the heat inside the oven. Inner oven shutter of stoves of "GRETA" is made of high thermal strength double-glazed, it is safe and provides good heat insulation while cooking. The opening mechanism locks the oven shutter in three positions.

Reliable gas cocks of firm "CAPRECI" (Spain) and "BSI" (France), provide the most efficient combustion, thus, it is very important, structural elements completely exclude the possibility of gas leaks.



Due to this attitude to the quality of products, stoves of Trade Mark "GRETA" are popular not only in Ukraine, where the company is one of the leaders for a long time, as well as in Russia and CIS countries. To improve the quality of customer service, the company establishes representative offices in Belgorod, Yekaterinburg, Kazan, St. Petersburg, it has been signed agreements with more than 100 service centers.

It is not easy to win a leading position, but it is harder to stay first. It is therefore the Joint Stock Company "Greta" doesn't stop in its rapid development. The nearest company's plans – are the production of stoves with a convection heating of the oven, glass ceramic hobs, embedded ovens. After all, the task of the company – is always to keep up with the times, to meet the requirements of most demanding customers.



Gas cookers



14 1470-00-07S



14 1470-00-07



15 1470-00-06



16 1470-00-10



16 1470-00-16



17 1470-00-12



18 1470-00-17



18 1470-00-20

Combined cookers



22 1470-GE-12Sn



22 1470-GE-11S



24 1470-GE-13



24 1470-GE-14



26 1470-GE-09



26 1470-GE-10

Electric cookers



23 1470-GE-07



30 1470-E-05



30 1470-E-06



25 1470-GE-00



31 1470-E-04



32 1470-E-07



32 1370-E

Hobs



36 CB-3-1 GE



36 CB-4



36 CB-CK

Tabletop stoves



40 1103

TECHNICAL FEATURES

Flame Failure device



Security system "Gas-control", cutting off supply of the gas if the flame accidentally dies out, consists of two main elements: a thermal couple and gas locking device. Due to heat sensitivity, the thermal couple allows to define the presence of flame. If there is no flame, thermal couple automatically blocks the flow of gas into the appropriate burner.



Ignition

The ignition of gas range with an electric spark can be automatic, when it occurs while you turn the switch on, and mechanical, when for ignition it is necessary to press a special button. You have no longer to use matches or gas lighter.

Cast iron Pan support

Have an excellent appearance, resistant to high temperatures, very convenient for placing dishes.

Burners

Meets all modern requirements in design and safety.



Glass Lid

Made of hardened glass, harmoniously enters into any interior.

Steel Lid

Protects from impurity the panel while range is inoperative, and the nearest wall while cooking.



Double glass of oven shutter

Does not allow the outer surface of the oven shutter to be heated strongly.



Spit

Spit is equipped with electric drive for quality and even cooking. It is used while cooking shish kebab, large pieces of meat, fish and poultry.

Thermostat

Control system for temperature. Maintains the temperature at a specified level.



Thermometer

Accurate thermometer allows you easily to set the desired temperature.

Control knobs

Made of heat resistant material and can adjust the power of burners easily.

Handle of oven shutter

The ergonomic handle of durable plastic allows to open and close the oven shutter easy and safe.

Adjustable feet

Allows to set cooker in right position and level.





Storage drawer

Convenient place to store kitchen utensils. Special materials protect it from deformation and the effect of high temperatures.



Roaster

All standard ranges have a flat roaster, located in the upper wall of the oven. It provides baking up to a characteristic brown crust – now it depends on the imagination of the hostess. It is suitable for cooking steaks, casseroles, dishes in breadcrumbs.



Oven Light

Interior lighting of the oven. Now we can determine the stage of preparedness of dishes without opening the oven shutter. Turning on lights, installed inside the oven, you can see the inner space, and not let the heat out of the working chamber.

Timing device

The "timer", whereby you can schedule the time of preparation, timely reports on the end of the process.

Foil insulation

Provides even heating the whole space of the oven.

Oven capacity

Having a compact size of the plates Greta there is rather large capacity of the oven (54l), which allows hostesses to cook simultaneously two different dishes or meals of large size (e.g. turkey).

Compact size

(HxDxW 85x50x4) allows you to put the stove harmoniously in the kitchen of any size, even in the smallest one.

Mechanism of opening of the oven shutter

The stoves have a durable mechanism of opening of the oven shutter, which allows to fix the shutter at 3 positions.

Enamel

High tensile, heat-resistant with an enamel which is easy to clean and for many years, keeps its color. Ecologically clean enamel – while heating it does not emit harmful substances.

Gas valve

Made in France and Spain allow you to adjust easily the flame and prevent gas leakage.



Stainless steel cooktop

Meets all modern trends and differs in durability and reliability.



Electric oven

Allows deep and even baking foods. It is an electric oven where you can cook flavored dish with browned, tasty crust.



Electric plates

Different size and power of burners allow optimally to select both mode of heating (rapid heating or maintaining of a certain temperature) or the burner diameter for dishes



GRETA

GRETA



01/ GAS COOKERS

GAS COOKERS



Model 1470-00-07S

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel/cast iron
Function of oven:	Lighting of oven
Oven capacity:	54 l
Additional:	Deep baking tray, pan support
Control:	Mechanical Electric ignition of burners
Colour:	White, black
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	37/42 kg

- Additional features:**
- Glass Lid
 - Glass foreside
 - Storage compartment with drawer
 - Adjustable feet



Model 1470-00-07

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel/cast iron
Function of oven:	Lighting of oven
Oven capacity:	54 l
Additional:	Deep baking tray, pan support
Control:	Mechanical Electric ignition of burners
Colour:	White, black
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	37/42 kg

- Additional features:**
- Glass Lid
 - Storage compartment with drawer
 - Adjustable feet





Model 1470-00-06

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel/cast iron
Function of oven:	Lighting of oven
Oven capacity:	54 l
Additional:	Deep baking sheet, grid
Control:	Mechanical Electric ignition of burners
Colour:	White, brown, grey
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	33,5/38,5 kg

Additional features:

- Metallic Lid
- Storage compartment with drawer
- Adjustable feet



GAS COOKERS



Model 1470-00-10

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel
Function of oven:	Lighting of oven
Oven capacity:	54 l
Additional:	Deep baking sheet, grid
Control:	Mechanical
Colour:	White, brown, grey
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	33/38 kg

- Additional features:**
- Glass Lid
 - Storage compartment with drawer
 - Adjustable feet



Model 1470-00-16

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel
Oven capacity:	54 l
Additional:	Deep baking sheet, grid
Control:	Mechanical
Colour:	White, brown, grey
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	31,5/36,5 kg

- Additional features:**
- Metallic Lid
 - Storage compartment with drawer
 - Adjustable feet





Model 1470-00-12

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel
Oven capacity:	54 l
Additional:	Deep baking sheet, grid
Control:	Mechanical
Colour:	White, brown, grey
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	31/36 kg

Additional features:

- Table Pan support
- Storage compartment with drawer
- Adjustable feet



GAS COOKERS

Model 1470-00-20



Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel
Oven capacity:	54 l
Additional:	Grid
Control:	Mechanical
Colour:	White, brown, grey
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	29/34 kg

- Additional features:**
- Adjustable feet



Model 1470-00-17



Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel
Oven capacity:	54 l
Additional:	Deep baking sheet
Control:	Mechanical
Colour:	White, brown, grey
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	31/36 kg

- Additional features:**
- Table Pan support
 - Storage compartment with drawer
 - Adjustable feet







GRETA





02/ COMBINED COOKERS

COMBINED COOKERS



Model 1470-GE-12Sn

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel/cast iron
Function of oven:	Electric grill, spit, lighting of oven
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, aluminic baking sheet, grid, spit
Control:	Mechanical Electric ignition of burners Mechanical timing device
Colour:	Stainless steel
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	41/46 kg

- Additional features:**
- Glass Lid
 - Glass frontage with stainless inserts
 - Storage compartment with drawer
 - Adjustable feet



Model 1470-GE-11S

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel
Function of oven:	Electric grill, spit, lighting of oven
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, aluminic baking sheet, grid, spit
Control:	Mechanical Electric ignition of burners Mechanical timing device
Colour:	Black, white, brown
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	41/46 kg

- Additional features:**
- Glass Lid
 - Glass foreside
 - Storage compartment with drawer
 - Adjustable feet





Model 1470-GE-07

Type of surface:	Gas
Type of oven:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel/cast iron
Function of oven:	Electric grill, spit, lighting of oven
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, aluminic baking sheet, grid, spit
Control:	Mechanical Electric ignition of burners Mechanical timing device
Colour:	White, brown, stainless steel
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	43/48 kg

Additional features:

- Glass Lid
- Storage compartment with drawer
- Adjustable feet



COMBINED COOKERS



Model 1470-GE-13

Type of surface:	Gas
Type of oven:	Electric
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel
Function of oven:	Lighting of oven
Oven capacity:	50 l
Additional:	Deep baking sheet, aluminic baking sheet, grid
Thermostat:	50–270 °C
Safety:	Gas-control of burners
Control:	Mechanical Electric ignition of burners
Colour:	White
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	40,5/45,5 kg

Additional features:

- Glass Lid
- Storage compartment with drawer
- Adjustable feet



Model 1470-GE-14

Type of surface:	Gas/electric
Type of oven:	Gas
Number of burners:	3+1 (1 large, 1 quick heating, 1 small, 1 large electric)
Pan support:	Steel
Function of oven:	Lighting of oven
Oven capacity:	50 l
Additional:	Deep baking sheet, aluminic baking sheet, grid
Control:	Mechanical Electric ignition of burners
Colour:	White
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	40,5/45,5 kg

Additional features:

- Glass Lid
- Storage compartment with drawer
- Adjustable feet





Model 1470-GE-00

Type of surface:	Gas/electric
Type of oven:	Electric
Number of burners:	3+1 (1 large, 1 quick heating, 1 small, 1 large electric)
Pan support:	Steel
Function of oven:	Lighting of oven
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, aluminic baking sheet, grid
Control:	Mechanical Electric ignition of burners
Colour:	White, brown
Dimensions (HxD×W):	85×50×54 sm
Weight (net/gross):	40,5/45,5 kg

Additional features:

- Glass Lid
- Storage compartment with drawer
- Adjustable feets



COMBINED COOKERS

Model 1470-GE-09



Type of surface:	Gas
Type of oven:	Electric
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel/cast iron
Function of oven:	Lighting of oven
Oven capacity:	50 l
Additional:	Deep baking sheet, aluminic baking sheet, grid
Thermostat:	50–270 °C
Control:	Mechanical Electric ignition of burners
Colour:	White
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	42,5/47,5 kg

- Additional features:**
- Glass Lid
 - Storage compartment with drawer
 - Adjustable feet



Model 1470-GE-10



Type of surface:	Gas/electric
Type of oven:	Gas
Number of burners:	3+1 (1 large, 1 quick heating, 1 small, 1 large electric)
Pan support:	Steel
Function of oven:	Lighting of oven
Oven capacity:	50 l
Additional:	Deep baking sheet, aluminic baking sheet, grid
Control:	Mechanical
Colour:	White, brown
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	38,5/43,5 kg


- Additional features:**
- Glass Lid
 - Storage compartment with drawer
 - Adjustable feet







GRETA



03/ ELECTRIC COOKERS

ELECTRIC COOKERS



Model 1470-E-05

Type of surface:	Electric
Type of oven:	Electric
Number of burners:	4 (1 express, 3 regular)
Function of oven:	Electric grill, roaster, lighting of oven
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, grid, spit
Control:	Mechanical Mechanical timing device
Colour:	White, brown
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	38/43 kg

Additional features:

- Glass Lid
- Storage compartment with drawer
- Adjustable feet



Model 1470-E-06

Type of surface:	Electric
Type of oven:	Electric
Number of burners:	4 (1 express, 3 regular)
Function of oven:	Lighting of oven
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, grid
Control:	Mechanical
Colour:	White, brown
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	34,5/39,5 kg

Additional features:

- Table Pan support
- Storage compartment with drawer
- Adjustable feet





Model 1470-E-04

Type of surface:	Electric
Type of oven:	Electric
Number of burners:	4 (1 express, 3 regular)
Function of oven:	Lighting of oven
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, grid
Control:	Mechanical
Colour:	White, brown
Dimensions (H×D×W):	85×50×54 sm
Weight (net/gross):	33,5/38,5 kg

- Additional features:**
- Storage compartment with flap door
 - Adjustable feet



ELECTRIC COOKERS

Model 1470-E-07



Type of surface:	Electric
Type of oven:	Electric
Number of burners:	4 (1 express, 3 regular)
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, grid
Control:	Mechanical
Colour:	White, brown
Dimensions (H×D×W):	85×50×54 sm
Weight net/gross:	33/38 kg

Additional features:
– Adjustable feet



Model 1370-E



Type of surface:	Electric
Type of oven:	Electric
Number of burners:	3
Oven capacity:	50 l
Thermostat:	50–270 °C
Additional:	Deep baking sheet, grid
Control:	Mechanical
Colour:	White
Dimensions (H×D×W):	85×50×54 sm
Weight net/gross:	32/37 kg


Additional features:
– Adjustable feet







GRETA



04/ HOBS

HOBS



Model CB-4

Type of surface:	Gas
Number of burners:	4 (1 large, 2 quick heating, 1 small)
Pan support:	Steel/cast iron
Dimensions (H×D×W):	7,5×50×58 sm
Weight (net/gross):	9,5/10,5 kg
Colour:	White, brown, stainless steel
Control:	Automatic electric ignition of burners



Model CB-3-1-GE

Type of surface:	Gas/electric
Number of burners:	3+1 (1 large, 1 quick heating, 1 small, 1 large electric)
Pan support:	Steel
Dimensions (H×D×W):	7,5×50×58 sm
Weight (net/gross):	7,5/8,5 kg
Colour:	White
Control:	Automatic electric ignition of burners



Ceramic cooking hob

Type of surface:	Electric
Number of burners:	4 burners of ultraspeeds heating (1 spread heating zone)
Dimensions (W×D):	57×50,5 sm
Colour:	Black
Weight (net/gross):	12/13 kg
Control:	Sensor control Digital display Electric timing device
Safety:	Child protection Indicator of heat





GRETA


GRETA



05/ TABLETOP STOVES

TABLETOP STOVES



Model 1103

Type of surface:	Gas
Number of burners:	2 (1 burner of enforced power, 1 burner of normal power)
Pan support:	Steel
Dimensions (H×D×W):	10,5×50×34 sm
Colour:	White, brown, grey
Weight (net/gross):	4,1/5,1 kg
Rated pressure of LPG:	2940 Pa



GAS COOKERS

Model	1470-00-07S	1470-00-07	1470-00-06	1470-00-10	1470-00-16	1470-00-12	1470-00-17	1470-00-20
Features of surface								
Number of gas burners:	4	4	4	4	4	4	4	4
Power of range burners:								
Front left, kilowatt	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16
Front right, kilowatt	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16
Back left, kilowatt	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095
Back right, kilowatt	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16
Electric ignition of range burners	+	+	+	-	-	-	-	-
Flame failure devices of range burners	optional	optional	optional	optional	optional	optional	optional	optional
Pan support	steel/cast iron	steel/cast iron	steel/cast iron	steel	steel	steel	steel	steel
Features of oven								
Type of oven	gas	gas	gas	gas	gas	gas	gas	gas
Usable capacity of oven, l	54	54	54	54	54	54	54	54
Power of oven burner, kilowatt	3,24±0,16	3,24±0,16	3,24±0,16	3,24±0,16	3,24±0,16	3,24±0,16	3,24±0,16	3,24±0,16
Rated pressure of gas:								
Natural gas, Pa	1274	1274	1274	1274	1274	1274	1274	1274
LPG, Pa	2940	2940	2940	2940	2940	2940	2940	2940
Flame failure devices of oven burners	optional	optional	optional	optional	optional	optional	optional	optional
Oven light	+	+	+	+	-	-	-	-
Consumed power of Oven light, Watt	15	15	15	15	-	-	-	-
Additional features								
Lid	glass	glass	steel	glass	steel	-	-	-
Table Pan support	-	-	-	-	-	+	+	-
Glass foreside	+	-	-	-	-	-	-	-
Storage compartment with drawer	+	+	-	-	-	-	-	-
Storage compartment with flap door	-	-	+	+	+	+	+	-
Standart baking tray (aluminic)	-	-	-	-	-	-	-	-
Deep baking tray	+	+	+	+	+	+	+	-
Grid	+	+	+	+	+	+	-	+
Colour*	W,BL	W,B	W,G,B	W,G,B	W,G,B	W,G,B	W,G,B	W,G,B
Dimensions (HxDxW), sm	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54
Weight, kg net/gross	37/42	37/42	33,5/38,5	33/38	31,5/36,5	31/36	31/36	29/34
Balance weight (optional), kg	5	5	5	5	5	5	5	5

* Colour: W – white, G – grey, B – brown, BL – black, S – stainless steel

COMBINED COOKERS

Model	1470-GE-12Sn	1470-GE-11S	1470-GE-07	1470-GE-13	1470-GE-14	1470-GE-00	1470-GE-09	1470-GE-10
Features of sureface								
Number of gas burners:	4	4	4	4	3	3	4	3
Number of electric plates:	0	0	0	0	1	1	0	1
Power of range burners:								
Front left, kilowatt	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16
Front right, kilowatt	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16	2,25±0,16
Back left, kilowatt	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095	0,95±0,095
Back right, kilowatt	1,7±0,16	1,7±0,16	1,7±0,16	1,7±0,16	-	-	1,7±0,16	-
Power of electric plates, kilowatt	0	0	0	0	1	1	0	1
Electric ignition of range burners	+	+	+	+	+	+	+	-
Flame failure devices of rangeburners	optional	optional	optional	+	optional	optional	optional	optional
Pan support	steel/cast iron	steel	steel/cast iron	steel	steel	steel	steel	steel
Features of oven								
Type of oven	gas	gas	gas	electric	gas	electric	electric	gas
Oven capacity, l	50	50	50	50	50	50	50	50
Power of gas burner of oven, kilowatt	3,24±0,16	3,24±0,16	3,24±0,16	-	3,24±0,16	-	-	3,24±0,16
Power of electric oven, kilowatt	-	-	-	2,0	-	2,0	2,0	-
Electric roaster	+	+	+	-	-	-	-	-
Power of roaster, kilowatt/hour	1,5	1,5	1,5	-	-	-	-	-
Thermostat	+	+	+	+	-	+	+	-
Flame failure devices of oven burners	optional	optional	optional	-	optional	-	-	optional
Lighting of oven	+	+	+	+	+	+	+	+
Consumed power of Oven light, Watt	15	15	15	15	15	15	15	15
Spit	+	+	+	-	-	-	-	-
Additional features								
Natural gas, Pa	1274	1274	1274	1274	1274	1274	1274	1274
LPG, Pa	2940	2940	2940	2940	2940	2940	2940	2940
Lid	glass	glass	glass	glass	glass	glass	glass	steel
Glass foreside	+	+	-	-	-	-	-	-
Mechanical timing device	+	+	+	-	-	-	-	-
Storage compartment with drawer	+	+	+	+	-	-	+	-
Storage compartment with flap door	-	-	-	-	+	+	-	+
Standart baking tray (aluminic)	+	+	+	+	+	+	+	+
Deep baking tray	+	+	+	+	+	+	+	+
Grid	+	+	+	+	+	+	+	+
Colour*	S	Bl, W	W, B, S	W, B	W	W, B	W	W, B
Dimensions (HxDxW), sm	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54
Weight, kg net/gross	41/46	41/46	43/48	40,5/45,5	40,5/45,5	40,5/45,5	42,5/47,5	38,5/43,5
Balance weight (optional), kg	5	5	5	5	5	5	5	5

ELECTRIC COOKERS

Model	1470-E-05	1470-E-06	1470-E-04	1470-E-07	1370-E
Features of sureface					
Number of electric plates:	4	4	4	4	3
Power of plates:					
Front left, kilowatt	1	1	1	1	1
Front right, kilowatt	1	1	1	1	1
Back left, kilowatt	1,5	1,5	1,5	1,5	1,5
Back right, kilowatt	1,5	1,5	1,5	1,5	-
Features of oven					
Type of oven	electric	electric	electric	electric	electric
Oven capacity, l	50	50	50	50	50
Power of electric oven, kilowatt	2,0	2,0	2,0	2,0	2,0
Electric roaster	+	-	-	-	-
Power of roaster hitting coil, kilowatt/hour	1,5	-	-	-	-
Thermostat	+	+	+	+	+
Oven light	+	+	+	-	-
Consumed power of Oven light, Watt	15	15	15	-	-
Spit	+	-	-	-	-
Additional features					
Lid	glass	-	-	-	-
Cooktop panel	-	+	-	-	-
Mechanical timing device	+	-	-	-	-
Storage compartment with drawer	+	-	-	-	-
Storage compartment with flap door	-	+	+	-	-
Deep baking tray	+	+	+	+	+
Grid	+	+	+	+	+
Colour*	W, B	W, B	W, B	W, B	W
Dimensions (HxDxW), sm	85x50x54	85x50x54	85x50x54	85x50x54	85x50x54
Weight, kg net/gross	38/43	34,5/39,5	33,5/38,5	33/38	32/37

* Colour: W – white, G – grey, B – brown, Bl – black, S – stainless steel

HOBS

Model	CB-CK	CB-4	CB-3-1 GE
Features of Hobs			
Number of gas burners:	-	4	3
Number of electric plates:	4	0	1
Glass-ceramic hob	+	-	-
Burners of extraquick heating	4	-	-
Power of range burners:			
Front left, kilowatt	2,2	1,7±0,16	1,7±0,16
Front right, kilowatt	1,2	2,25±0,16	2,25±0,16
Back left, kilowatt	1,2	0,95±0,095	0,95±0,095
Back right, kilowatt	2,4	1,7±0,16	1
Automatic ignition	-	+	+
Flame failure devices of range burners	-	optional	optional
Heating area	+	-	-
Touch control	+	-	-
Digital display	+	-	-
Electric timing device	+	-	-
Child protection	+	-	-
Indicator of heat	+	-	-
Pan support	-	steel/cast iron	steel
Additional features			
Colour*	Bl	W, S, B	W
Dimensions (HxDxW), sm	7,5x50,5x57	7,5x50x58	7,5x50x58
Weight, kg net/gross	12/13	9,5/10,5	7,5/8,5

TABLETOP STOVES

Model	1103
Features of surface	
Number of gas burners:	2
Power of cooktop burners:	
Enforced power burner	2,25±0,16
Normal power burner	1,7±0,16
Rated pressure of LPG, Pa	2940
Dimensions (BxLxD), cm	10,5x50x34
Weight, kg net/gross	4,1/5,1
Colour*	W, B, G

* Colour: W – white, G – grey, B – brown, Bl – black, S – stainless steel



JSK "Gaztechnosbyt"

Vesnina st., 5, Kharkov, 61023, Ukraine
Tel./fax +38 (057) 704-20-69, 704-34-97, 704-26-21
info@greta.ua
www.greta.ua